

09/720494



HARTER, SECREST & EMERY, LLP  
ATTORNEYS AND COUNSELORS  
WWW.HSELAW.COM

RECEIVED  
CENTRAL FAX CENTER

JUN 01 2005

June 1, 2005

TO	COMPANY	TELEPHONE	FACSIMILE
Attn: Office of Petitions	USPTO Alexandria, Virginia	703-305-8309	703-308-6916
FROM	COMPANY	TELEPHONE	FACSIMILE
Stephen B. Salai OUR FILE: 0581/85934.18	HARTER, SECREST & EMERY LLP	585-231-1101	585-232-2152

TOTAL NUMBER OF PAGES SENT (INCLUDING THIS COVER SHEET): 9 page(s)

Certificate

MESSAGE OR SPECIAL INSTRUCTIONS:

JUN 08 2005

of Correction

IF YOU DID NOT RECEIVE THE NUMBER OF PAGES SHOWN ABOVE, OR IF ANY COPIES ARE ILLEGIBLE,  
PLEASE CALL THE TELECOMMUNICATIONS OPERATOR AT 585-231-1496

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS PRIVILEGED AND/OR CONFIDENTIAL AND IS INTENDED ONLY FOR THE USE OF THE  
INDIVIDUAL OR ENTITY NAMED ABOVE. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT OR THE EMPLOYEE OR AGENT RESPONSIBLE TO  
DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS  
STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS MESSAGE IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL  
MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

1600 BAUSCH &amp; LOMB PLACE ROCHESTER, NEW YORK 14604-2711 PHONE: 585.232.6500 FAX: 585.232.2152

PTO/SB-17 (08-03)

Approved for use through 07/31/2006. OMB 0651-0031  
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

**Certificate of Transmission under 37 CFR 1.8**

I hereby certify that this correspondence is being facsimile transmitted  
to the United States Patent and Trademark Office

On June 1, 2005  
Date

**Transmitted:**

- 1) Request for Certificate of Correction of Patent for Applicant's Mistake  
(37 CFR 1.323) 3 pages in duplicate; and
- 2) Certificate of Correction (Form PTO-1050) 1 page.

Melanie L. Lavacca  
Signature

Melanie L. Lavacca  
Typed or printed name of person signing Certificate

**Note:** Each paper must have its own certificates of mailing, or this  
certificate must identify each submitted paper.

Attorney docket no.: 85934.000018  
Confirmation No.: 3395

This collection of information is required by 37 CFR 1.8. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.8 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing this form, call 1-800-PTO-9199.

**RECEIVED  
CENTRAL FAX CENTER****Practitioner's Docket No.** 85934.000018**JUN 01 2005****PATENT****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent Number: 6,813,942

Issued: November 9, 2004

Name of Patentee: Professor N.E. Zhukovsky Central Aerohydrodynamic Institute

Title of Invention: Pitot-Static Tube with Static Orifices on an Upstream Plate

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR APPLICANT'S MISTAKE (37 C.F.R. § 1.323)**

1. It is noted that an error appears in this patent of a

- ☐ clerical  
☒ typographical  
☐ minor

nature or character, as more fully described below. It occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

2. Attached hereto, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

**NOTE:** Form PTO/SB/44 (also Form PTO-1050), using the column and line number in the printed patent, should be used exclusively, regardless of the length or complexity of the subject matter, M.P.E.P. § 1485, 7th ed.

**NOTE:** The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. M.P.E.P. § 1485, 7th ed.

3. The exact page and line number where the error occurs in the application file are:

*NOTE: This information should be identified in this request, however, on Form PTO-1050, only the column and line number in the printed patent should be used. M.P.E.P. § 1485.*

## 4. Please send the Certificate to

Name: Stephen B. Salai, Esq.Address: Harter, Secrest & Emery LLP1600 Bausch & Lomb Place, Rochester, New York 14604

## 5. Please pay the fee required by 37 C.F.R. § 1.20(a)-\$100.00, as follows:

- ☐ Attached is a ☐ check ☐ money order in the amount of \$ \_\_\_\_\_
- ☒ Authorization is hereby made to charge the amount of \$ 100.00
- ☒ to Deposit Account No. 03-3875
- ☐ to Credit card as shown on the attached credit card information authorization form PTO-2038.

**WARNING:** Credit card information should not be included on this form as it may become public.

- ☒ Charge any additional fees required by this paper or credit any overpayment in the manner authorized above.

A duplicate of this paper is attached.

  
SIGNATURE OF PRACTITIONER

Reg. No.: 26,990

Stephen B. Salai  
(type or print name of practitioner)

Tel. No.: (585 ) 232-6500

1600 Bausch & Lomb Place  
P.O. Address

Customer No.: 23-387

Rochester, New York 14604

**NOTE:** The certificate of correction for applicant's mistake may be signed by the attorney of record, unlike that for PTO mistake where the patentee or an owner of an interest in the invention must make the request.

Request for Certificate of Correction of Patent for Applicant's Mistake (37 C.F.R. § 1.323) [14-2]  
—page 3 of 3)

Practitioner's Docket No. 85934.000018**PATENT****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent Number: 6,813,942

Issued: November 9, 2004

Name of Patentee: Professor N.E. Zhukovsky Central Aerohydrodynamic Institute

Title of Invention: Pitot-Static Tube with Static Orifices on an Upstream Plate

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR APPLICANT'S MISTAKE (37 C.F.R. § 1.323)**

1. It is noted that an error appears in this patent of a

- ☐ clerical  
☒ typographical  
☐ minor

nature or character, as more fully described below. It occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

2. Attached hereto, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

**NOTE:** Form PTO/SB/44 (also Form PTO-1050), using the column and line number in the printed patent, should be used exclusively, regardless of the length or complexity of the subject matter. M.P.E.P. § 1485, 7th ed.

**NOTE:** The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. M.P.E.P. § 1485, 7th ed.

Request for Certificate of Correction of Patent for Applicant's Mistake (37 C.F.R. § 1.323) [14-2]  
—page 1 of 3

3. The exact page and line number where the error occurs in the application file are:

*NOTE: This information should be identified in this request, however, on Form PTO-1050, only the column and line number in the printed patent should be used. M.P.E.P. § 1485.*

## 4. Please send the Certificate to

Name: Stephen B. Salai, Esq.Address: Harter, Secrest & Emery LLP1600 Bausch & Lomb Place, Rochester, New York 14604

## 5. Please pay the fee required by 37 C.F.R. § 1.20(a)-\$100.00, as follows:

☐ Attached is a ☐ check ☐ money order in the amount of \$ \_\_\_\_\_☒ Authorization is hereby made to charge the amount of \$ 100.00☒ to Deposit Account No. 03-3875☐ to Credit card as shown on the attached credit card information authorization form PTO-2038.**WARNING:** Credit card information should not be included on this form as it may become public.☒ Charge any additional fees required by this paper or credit any overpayment in the manner authorized above.

A duplicate of this paper is attached.

  
SIGNATURE OF PRACTITIONER

Reg. No.: 26,990

Stephen B. Salai  
(type or print name of practitioner)

Tel. No.: (585 ) 232-6500

1600 Bausch & Lomb Place  
P.O. Address

Customer No.: 23-387

Rochester, New York 14604**NOTE:** The certificate of correction for applicant's mistake may be signed by the attorney of record, unlike that for PTO mistake where the patentee or an owner of an interest in the invention must make the request.Request for Certificate of Correction of Patent for Applicant's Mistake (37 C.F.R. § 1.323) (14-2)  
—page 3 of 3)



Approved for use through 04/30/2007. OMB 0851-0033  
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTC-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO : 6,813,942

DATED : November 9, 2004

INVENTOR(S) : Vozhdaev, Yevgeny Semenovitch; Kohler, Heinz-Gerhard; Golovkin, Mikhail  
Alekseevich; Golovkin, Vladimir Alekseevich; Pankratov, Anatoli Kuzmich;  
Efremov, Andrei Aleksandrovich

It is certified that error appears in the above-identified patent and that said  
Letters Patent is hereby corrected as shown below:

In the title page at (75) Inventors, reading "Andrei Aleksandrovich Efenov" should read --  
Andrei Aleksandrovich Efremov--.

MAILING ADDRESS OF SENDER  
Harter, Secrest & Emery LLP.  
1600 Bausch & Lomb Place  
Rochester, New York 14604-2711

PATENT NO. 6,813,942

No. of additional copies  
|

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1350. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.